Serial No.: N/A
Filed: Herewith
Page: 3 of 8

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Original) A pharmaceutical composition comprising a molecule comprising a fucose group in an $\alpha 1,2$ linkage, an $\alpha 1,3$ linkage or an $\alpha 1,4$ linkage to a galactose group and a pharmaceutically acceptable carrier.
- 2. (Original) The composition of claim 1 where in the fucose is contained within an LNF-I group, an 2'FL group, an LNF-I group, an LNF-II group, an 3'FL group, an LNF-III group, an LDFH-I group, a LDFT group or a variant thereof in which the Glc at the reducing end is replaced with GlcNAc.
- 3. (Currently amended) The composition of any of the forgoing claims claim 1 wherein the molecule is a glycan, a glycolipid, a glycoprotein, a glycosaminoglycan or a mucin.
- 4. (Currently amended) The composition of any of the forgoing claims claim 1 wherein the molecule comprises at least two different groups selected from an LNF-I group, an 2'FL group, an LNF-I group, an LNF-II group, an LNF-II group, an LDFH-I group, a LDFT group or a variant thereof in which the Glc at the reducing end is replaced with GlcNAc.
 - 5-6. (Canceled)
- 7. (Currently amended) The composition of any of the forgoing claims claim 1 wherein the groups are covalently linked to a protein in an O-link to Ser or Thr or an N-link to Asn.
- 8. (Currently amended) The composition of any of the forgoing claims claim 1 wherein the composition does not contain a mammalian milk.
 - 9. (Canceled)
- 10. (Original) A pharmaceutical composition comprising a purified protein modified to include at least two different groups selected from:
 - 2'-Fucosyllactose;

Lacto-N-fucopentaose I;

Serial No. : N/A
Filed : Herewith
Page : 4 of 8

Lacto-N-fucopentaose II;

3'-Fucosyllactose;

Lacto-N-fucopentaose II;

Lacto-N-difucohexaose I;

Lactodifucotetraose;

LactoN-tetraose;

LactoN-neotetraose;

3'-Sialyllactose;

3'-Sialyllactosamine;

6'-Sialyllactose;

6'-Sialyllactosamine;

Sialyllacto-N-neotetraose c;

Monosialyllacto-N-hexaose;

Disialyllacto-N-hexaose I;

Monosialyllacto-N-neohexaose I;

Monosialyllacto-N-neohexaose II

Disialyllacto-N-neohexaose

Disialyllacto-N-tetraose;

Disialyllacto -N-hexaose II;

Sialyllacto-N-tetraose a;

Disialyllacto-N-hexaose I;

Sialyllacto-N-tetraose b;

3'-Sialyl-3-fucosyllactose;

Disialomonofucosyllacto-N-neohexaose;

Monofucosylmonosialyllacto-N-octaose (sialyl Lea);

Sialyllacto-N-fucohexaose II;

Disialyllacto-N-fucopentaose II;

Monofucosyldisialyllacto-N-tetraose, or a variant thereof wherein Glc at the reducing end is replaced with GlcNAc.

11-14. (Canceled)

15. (Currently amended) The composition of any of the forgoing claims claim 1 which is a synthetic composition.

16-19. (Canceled)

20. (Original) A pharmaceutical composition comprising a purified protein modified to include at least two different groups selected from:

2'-Fucosyllactose;

Lacto-N-fucopentaose I;

Lacto-N-fucopentaose II;

Serial No.: N/A
Filed: Herewith
Page: 5 of 8

3'-Fucosyllactose;

Lacto-N-fucopentaose II;

Lacto-N-difucohexaose I;

Lactodifucotetraose;

2'-FLNac, or a variant thereof in which the Glc at the reducing end is replaced with GlcNAc;

wherein the protein is not modified to contain any other oligosaccarides.

21. (Original) A synthetic nutritional composition comprising a glycan, a glycolipid, a glycoprotein, a glycosaminoglycan or a mucin that comprises at least two different groups selected from an LNF-I group, and 2'FL group, an LDFH-I group and a LDFT group or a variant thereof in which the Glc at the reducing end is replaced with GlcNAc.

22-27. (Canceled)

28. (Currently amended) A synthetic <u>nutrition nutritional</u> composition comprising a purified protein modified to include a group selected from: a Lacto-N-fucopentaose I group, a Lacto-N-fucopentaose II group, a 2-Fucosyllactose group, a 3-Fucosyllactose group, a Lacto-N-fucopentaose II group, a Lacto-N-difucohexaose I group, and a Lactodifucotetraose group or a variant thereof in which the Glc at the reducing end is replaced with GlcNAc.

29-32. (Canceled)

- 33. (Currently amended) A method for treating or reducing the risk of infection, the method comprising administering the composition of any of the forgoing claims claim 1 wherein said composition is not a mammalian milk.
- 34. (Original) The method of claim 33 wherein the composition comprises 2'FL or 2'FLNAc.
- 35. (Original) The method of claim 34 wherein the molecule comprises a protein to which 2'FL and/or 2'FLNAc are directly or indirectly covalently attached.
- 36. (Original) The method of claim 33 wherein the infection is caused by *V. cholerea* or *C. jejuni*.
 - 37. (Original) The method of claim 33 wherein the infection in an enteric infection.
- 38. (Original) A method for reducing the risk of enteric disease in a patient, the method comprising,
- (a) identifying the two most prevalent agents capable of causing enteric disease in the geographic location of the patient;

Serial No.: N/A
Filed: Herewith
Page: 6 of 8

(b) administering to the patient a composition comprising a molecule comprising a first glycan which interferes with the binding to epithelial cells of the first of the two most prevalent agents and a second glycan which interferes with the binding to epithelial cells of the second of the two most prevalent agents wherein said composition is not breast milk.

- 39. (Original) A method for reducing the risk of enteric disease in a patient, the method comprising,
- (a) identifying the two most prevalent agents capable of causing enteric disease in the geographic location of the patient;
 - (b) administering to the patient composition comprising
 - i) a first molecule comprising a first glycan which interferes with the binding to epithelial cells of the first of the two most prevalent agents; and
- ii) a second molecule glycan which interferes with the binding to epithelial cells of the second of the two most prevalent agents; wherein said composition is not breast milk.
- 40. (Original) A yeast cell harboring a recombinant vector comprising a nucleotide sequence encoding GDP-mannose 4, 6 dehydratase and a nucleotide sequence encoding GDP-L-fucose synthetase.
- 41. (Original) The yeast cell of claim 40 wherein the GDP-mannose 4, 6 dehydratase is *H. pylori* GDP-mannose 4, 6 dehydratase.
- 42. (Currently amended) The yeast cell of claim 40 or claim 41 wherein the GDP-L-fucose synthetase is *H. pylori* GDP-L-fucose synthetase.
- 43. (Currently amended) The yeast cell of any of claims 40-42 claim 40 wherein the yeast cell harbors a nucleic acid molecule encoding a GDP-fucose/GMP antiporter fusion protein.
- 44. (Currently amended) The yeast cell of any of claim 43 wherein the fusion protein comprises a golgi-membrane location sequence.
- 45. (Original) The yeast cell of claim 43 wherein the golgi-membrane location sequence is from Vrg4p.
- 46. (Original) An isolated nucleic acid molecule encoding a fusion protein comprising at least a first portion and a second portion, the first portion comprising the active domain of a GDP-fucose/GMP antiporter and the second portion comprising a golgi localization sequence.
 - 47. (Canceled)

Serial No.: N/A
Filed: Herewith
Page: 7 of 8

- 48. (Original) A yeast harboring the isolated nucleic acid molecule of claim 46.
- 49. (Original) The yeast of claim 48 further harboring a nucleic acid molecule encoding a fucosyltransferase or a galactosyltransferase.
- 50. (Original) The yeast of claim 49 wherein the fucosyltransferase is selected from: Homo sapiens fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, Bombay phenotype included) (FUT1);

Homo sapiens fucosyltransferase 2 (secretor status included) (FUT2);

Homo sapiens fucosyltransferase 3 (galactoside 3(4)-L-fucosyltransferase, Lewis blood group included) (FUT3);

Homo sapiens fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific) (FUT4);

Homo sapiens fucosyltransferase 5 (alpha (1,3) fucosyltransferase) (FUT5);

Homo sapiens fucosyltransferase 6 (alpha (1,3) fucosyltransferase) (FUT6);

Homo sapiens fucosyltransferase 7 (alpha (1,3) fucosyltransferase) (FUT7);

Homo sapiens fucosyltransferase 8 (alpha (1,6) fucosyltransferase) (FUT8);

Homo sapiens fucosyltransferase 9 (alpha (1,3) fucosyltransferase) (FUT9); and

Homo sapiens protein o-fucosyltransferase (POFUT1).

51. (Canceled)